



PRODUCTS
Yazoo City, Mississippi

2-

11931.32
52.00
203.00

**DEALER PARTS DEPARTMENT QUICK REFERENCE
FOR AMCO PARTS**

HYDRAULIC CYLINDERS	1
AND BELLS	2
TUBS AND SPINDLES	3-4
SCRAPERS AND SPACER SPOOLS	5
1-1/2" SQUARE AXLE SUBSTITUTION CHART	7
1-1/8" SQUARE AXLE SUBSTITUTION CHART	9
DISC BLADES	10-11

AMCO PL Effective November 1, 1978

F.O.B. Yazoo City, Mississippi

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



No. 1 AMCO Drive, Yazoo City, Mississippi 39194 / 601/746-4464
Portable Elevator Division, Dynamics Corporation of America



AMCO PRODUCTS

Yazoo City, Mississippi

HYDRAULIC CYLINDERS

AMCO Bdl. No.	Part No.	MFG.	Mfg. No.	Size	Rod	Special Note	Mfg. Repair Kit	AMCO Repair Kit	Usage
	10551	Prince	B592	2 x 8	3/8	Single Action	PMCK B592	10763	4-6-H3
	11155	Lantex	3349BL	2½ x 16	1-1/4		2950-34	11158	HC,D21
AG-20-0007 W/Stroke Contl.	11549	Prince	9208	3 x 8	1-3/8	ASAE Std.	9200	11552	F17, F41, J41
BC-20-0002	11241	Lantex	4398BL	3½ x 12	1-1/2	Slave	2999-34	11242	F15, 27'-39'
BB-20-0002	11377	Lantex	3752BL	3 x 16	1-1/2	Replaces 10916	<u>2998-34</u>	11391	F10-11,12
BC-20-0003 W/Stroke Contl.	10934	Prince	8608	4 x 8	1-1/2	ASAE Std.	PMCK 8600	10976	F25, Common
BC-20-0001 W/Stroke Contl.	11257	Prince	R1386	4 x 8	1-1/2	1-1/4" Clevis Pin ASAE Std.	PMCK 8600	10976	F15, 16'-24'
<u>BB-20-0004</u>	<u>11469</u>	<u>Prince</u>	<u>S 971</u>	<u>4 x 8</u>	<u>1-1/2</u>	<u>Heavy Duty Rod Clevis</u>	<u>PMCK 8600</u>	<u>10976</u>	<u>J25, F12, F25 F42, J42, J43 J44</u>
BC-20-0003	11256	Lantex	X3444BL	4 x 12	2	Slave	3051-34	11148	F15-27'-39'
AG-20-0004	11134	Lantex	X3050BL	4 x 16	2	ASAE Std.	3051-34	11148	85, 185, 285 F16, J16, 42 F42, J42, J44
BD-20-0002	10933	Prince	9424	<u>4 x 24</u>	1-3/4		<u>PMCK 9400</u>	<u>10977</u>	F15, F25, J25
JA-20-0002	11263	Lantex	3584BL	5 x 16	2-1/2		3435-34	11265	G2, J2

AMCO PRODUCTS

Yazoo City, Mississippi

END BELLS

Part No.	Axle Size	Spacing	Usage	Sleeved	Parts Replaced
2989	2-3/4" Rd.	12-1/2"	WOH2, DOH4	No	
*2990	2-3/4" Rd.	12-1/2"	WOH2, DOH4	No	
*3180	1-1/8" Sq.	7"	WFP, WTC2, WTC10 Rollin Buster	No	
3181	1-1/8" Sq.	7"	WTC2, WTC10 Rollin Buster	No	
*3421A	Dual Core 1-1/8" Sq. — 1-3/8" Rd.	9"	WOD, WOE, LBE	No	2852, 3421, 2383, 3010
3422A	Dual Core 1-1/8" Sq. — 1-3/8" Rd.	9"	WOD, WOE, LBE	No	2853, 3422, 2384, 3011
*5481	1-1/2" Sq.	10-1/2"	148, 185, J25 LBJ, WTJ3, 5	No	3415
5482	1-1/2" Sq.	10-1/2"	148, 185, J25, LBJ, WTJ3, 5	No	3414
*6166A	1-1/8" Sq.	9"	WTD2, 3, 4, 5, 6, 10	No	2917
6167A	1-1/8" Sq.	9"	WTD2, 3, 5, 6, 10	No	2918
*6400	1-1/2" Sq.	9"	WTD2, 4, 6, 248 285, F16, WOF12	Yes	
6401	1-1/2" Sq.	9"	WTD2, 4, 6, 248 285, F16, WOF12	Yes	
*6402	1-1/2" Sq.	10-1/2"	WTJ2, 4, 6, WOJ16, WOJ12, 248, 285, J2	Yes	
6403	1-1/2" Sq.	10-1/2"	WTJ2, 4, 6, WOJ16 WOJ12, 248, 285, J2	Yes	
*7216	2-1/4" Rd.	12-1/2"	WOG, G2	No	
7217	2-1/4" Rd.	12-1/2"	WOG, G2	No	
*8761	1-1/8" Sq.	9"	WTD7, 8, 11, 21	Yes	
8762	1-1/8" Sq.	9"	WTD7, 8, 11, 21	Yes	
*9350	1-1/2" Sq.	9"	F9, 10, 11, 148, 185	No	
9351	1-1/2" Sq.	9"	F9, 10, 11	No	
*9797	1-1/8" Sq.	7"	WTC21, HWTC21	Yes	
9798	1-1/8" Sq.	7"	WTC21, HWTC21	Yes	
*9901	1-1/2" Sq.	9"	F25, 148, 185, WTF, 3, 5, WOF	No	5483, 9350 2669
9902	1-1/2" Sq.	9"	F25, 148, 186, WTF, 3, 5, WOF	No	5484, 9351 2670
*17009	1-1/2" Sq.	9"	F12, 15, 17	No	
17010	1-1/2" Sq.	9"	F12, 15, 17, 41	No	
*17014	1-1/2" Sq.	9"	F12, 15, 17, 41	No	17009 After Jan. 1, 1979
17008	1-1/2" Sq.	9"	F42 <i>Severe Plow</i>	No	
*17007	1-1/2" Sq.	9" — 10-1/2"	J41, J42, F42 <i>Severe Plow</i>	No	
17006	1-1/2" Sq.	10-1/2"	J41, J42 — <i>Severe Plow</i>	No	
*17004	1-1/2" Sq.	10-1/2"	J43, J44	Yes	
17005	1-1/2" Sq.	10-1/2"	J43, J44	Yes	

*Indicates small End Bell which is used on concave side of disk blade.
 1 1/2" & 1 3/4" diameters and are used on convex side of disk blade.

AMCO PRODUCTS

Yazoo City, Mississippi

HUBS AND SPINDLES

AMCO Part #	Description	AMCO Replacement
10351	5-Bolt Hub EWC # Q711 F & H # 25-5LM or 104883	
10254	6-Bolt Hub EWC # 0670 F & H # 25-6LM or 104173	11297
10688	6-Bolt Hub	10463-1
AMCO # 10351 5-Bolt Hub	6-Bolt - 25660-F	
10351	Hub W/2 Cups & 5 Hub Bolts EWC # Q711 F & H # 15-5LM F & H # 104682	
10352	Cup Inner (LM 48510)	
10293	Cup Outer (LM 67010)	
10354	Bolt, Hub 1/2-20 SAE	
11046	Nut, Hub 1/2-20 SAE	
10353	Cone, Inner (LM 48548) 1-3/8 Dia.	
10295	Cone, Outer (LM 67048) 1-1/4 Dia.	
10263	Spindle Washer 7/8"	
10264	Spindle Nut 7/8" 14 SAE Slotted	
10291	Cotter Pin 5/32 x 1-1/4	
11017	Seal, Tripple Lip C/R # 515763 1-3/4 Dia.	
10356	Hub Cap (EWC # 0612016)	
Spindles for # 10351 5-Bolt Hub		
10811	Spindle 1-3/4 Dia. x 22-3/8, Double End for WTD10, 11 Wing Type Assembly Wheel Support W/ # 10584 Spindle 1-3/4 Dia. x 8-3/8 WTF, WTJ, WTD3, 5, 7, 8, WOF, WOJ	
10584	Spindle 1-3/4 Dia. x 8-3/8" Long	
AMCO # 10351 5-Bolt Hub Replaces the Following Hubs & Spindles		
10581	Hub W/2 Cups & 5 Hub Bolts EWC # Q719 (W/Sleeve)	10351
10598	Hub W/2 Cups & 5 Hub Bolts EWC # Q719 (W/Out Sleeve)	10351
10352	Cup, Inner (LM 48510)	10352
10293	Cup, Outer (LM 67010)	10293
10354	Bolt, Hub 1/2 — 20 SAE	10354
11046	Nut, Hub 1/2 — 20 SAE	11046
10353	Cone, Inner (LM 48548) 1-3/8 Dia.	10353
10295	Cone, Outer (LM 67048) 1-1/4 Dia.	10295
10263	Spindle Washer 7/8"	10263
10264	Spindle Nut 7/8 14 SAE Slotted	10264
10291	Cotter Pin 5/32 x 1-1/4	10291
10356	Hub Cap EWC # 0612016	10356
10582	Seal 1-3/4 Dia. CR-17461	11017
10583	Spindle 1-3/4 Dia. x 9" Long	10584
10350	Spindle 1-3/4 Dia. x 8-3/8" Long	10584
NOTE: Seal # 10582 WILL NOT Work W/Hub #10351. Seal # 11017 WILL NOT Work W/Hub 10581 or 10598		
11050	Hub W/2 Cups & 5 Hub Bolts EWC # 0614 or EWC # 0556	10351
11013 &		
10261	Cup, Inner (14276)	10352
11015	Cup, Outer (09195)	10293
11066	Bolt-Hub	10354
11046	Nut-Hub	11046
11014	Cone, Inner (14136A) 1-3/8 Dia.	10353
11016	Cone, Outer (09078) 3/4 Dia.	10295
11051 &		
10289	Spindle Washer 7/8"	1026

704-2800552

11297-0676-
W803

20148

289002

210PP3

17618CR

Hub-

10351

3525-
3578- 2729
2788

10584

SMA

L44610 L44643

HUBS AND SPINDLES (Continued)

AMCO Part #	Description	AMCO Replacement
10021	Spindle Nut 3/4 SAE Slotted	10264
10027	Cotter Pin 3/16 x 1-1/2	10291
10022	Hub Cap	10356
11017	Seal 1-3/4 Dia.	11017
10583	Spindle 1-3/4 Dia. x 9" Long	10584
11049	Spindle 1-5/8 Dia. x 9" Long	10584
NOTE: Bearings, Seal, and Spindle for Hub # 11050 WILL NOT Interchange With Similar Parts on Hub # 10351., #10583 Spindle will have to be Interchanged on 11050 & 10351 Hub WILL NOT work W/10583 Spindle.		
10254	Hub Replaced by # 11297	11297
11297	Hub W/2 Cup, Lug Bolts, & Nuts	
10256	Seal (204035X) <i>CR-20870</i>	
10258	Cone (342-A)	
10257	Cup (332)	
10261	Cup (14276)	
10262	Cone (14137-A)	
10259	Lug Bolt # 10254 Hub Only	
11299	Lug Bolt # 11297 Hub Only	
11046	Lug Nut # 10254 & 11297 Hub	
10242	Hub Cap	
10263	Spindle Washer	
10264	Spindle Nut	

NOTE: All above parts are identical with # 10254 Hub with the exception of # 11299 Lug Bolt. New 11297 has bolts pressed into Hub W/Lug Nuts.

Spindles for # 11297 and 10254

1175	Wheel Support W/ 10251 Spindle
10880	Spindle 1-15/16" Dia. x 13" Long
10911	Spindle 1-3/4" Dia. x 16-3/4" Long
10869	Spindle 1-3/4" Dia. x 23-15/16" Long Double Ended

Applicable Only to F25 Shipped Prior to 9-72

10688	Hub Replaced by # 10463-1
10463-1	Hub W/2 Cups, Lug Bolts & Nuts
10467	Seal (521430) <i>CR-20145</i>
10469	Cone (25590)
10473	Cone # 25877
10468	Cup # 25520
10472	Cup # 25821
10474	Hub Cap
10263	Spindle Washer
10264	Spindle Nut
10689	Lug Bolt # 10688 Hub Only
10471	Lug Bolt # 10463-1 Hub Only
10470	Lug Nut # 10463-1 Hub Only

NOTE: All the above parts are interchangeable with # 10688 Hub with the exception of # 10470 & 10471

Spindles for # 10688 and # 10463-1

10922	Spindle 2-3/16" Dia.
-------	----------------------

AMCO PRODUCTS

Yazoo City, Mississippi

SCRAPERS

Part No.	Usage	Replacement
517 RH	Levee Plow, LBE, LBF	
617 LH	Levee Plow, LBE, LBF	
765 LH	WTC, WTD15	
766 RH	WTC, WTD15	
945 RH	WOE3, WOJ3, WOF3, 5, 6, 8, 9, 10, 11	
947 LH	WOE3, WOJ3, WOF3, 5, 6, 8, 9, 10, 11	
946 Special RH	WOE3, WOJ3, WOF3, 5, 6, 8, 9, 10, 11	
948 Special LH	WOE3, WOJ3, WOF3, 5, 6, 8, 9, 10, 11	
1195 RH	WTE, WTF, WTJ2, 3, 4, 5, 6	
1195 LH	WTE, WTF, WTF2, 3, 4, 5, 6	
1502 RH	WTD10, WTD11, WTD7, WTD8	0533
1503 LH	WTD10, WTD11, WTD7, WTD8	0534
1829-Front	WOG2	
1830-Rear	WOG2	
0533 RH	WTD3, 4, 5, 6, 7, 8, 10, 11, F9	
0534 LH	WTD3, 4, 5, 6, 7, 8, 10, 11, F9	
0459 RH	J25, F25, 48, 85, 148, 185, 248, 285	
0460 LH	J25, F25, 48, 85, 148, 185, 248, 285	
*0708A RH-Front	WOF16, WOJ16, F16, J16, J2	
*0709A LH-Rear	WOF16, WOJ16, F16, J16, J2	
*0788 RH	F10, 11, 12, 15, 17, D21, C21, HD21, HC21	
*0789 LH	F10-11, 12, 15, 17, D21, C21, HD21, HC21	
0824 Special	WTD21, HWTD21, F12, 15	
0825 Special	WTD21, HWTD21, F12, 15	
*20067 RH	J41, J42, J43, F42, F43, Option on F15	
*20068 LH	J41, 42, 43, F42, 43, Option on F15	
*20072 RH	F44, J44	
*20073 LH	F44, J44	


*NOTE: Right and Left interchangeable by reversing blade on shank.

SPACER SPOOL


Part No.	Axle Size	Spacing	Usage	Parts Replaced
9830.	1-1/2" Sq.	7" Cast Spool	WTC	2854, 0630
6165	1-1/8" Sq.	9" Cast Spool	WOD, WTD	2405, 0632, 3400, 3408
2672	1-3/8" Rd.	9" Cast Spool	WOE, WTD, LBF	
3409	1-3/8" Rd.	10 1/2 Cast Spool	WOL	
0522	1-1/2" Sq.	9" Fab. Spool	48, 85, 148, 185, 285, F12, 15, 17, 25	9272, 17011
545	1-1/2" Sq.	9" Fab. Spool W/Back-Up-Blade	WTF, F16, WOF	2671
1296	1-1/2" Sq.	10 1/2" Fab. Spool W/Back-Up-Blade	J16, J2, WOJ, WTJ	3413
0523	1-1/2" Sq.	10 1/2" Fab. Spool	J25, 148, 185, 248, 285	
0946	1-1/2" Sq.	10 1/2" Fab. Spool Heavy Duty 6" Pipe W/Back-Up-Blade	J2, J16, J43, J44	1296
0497	1-1/2" Sq.	10 1/2" Fab. Spool Heavy Duty 6" Pipe	J43	1296

REPLACEMENT PARTS FOR AMCO HARROWS EQUIPPED WITH # 2386 AND # 2386A CAST BUMPER WASHER

GROUP I — WOF, WOJ, REAR GANGS WTF, WTJ, OUTSIDE FRONT GANGS WTF, WTJ



GROUP II — LBE, LBJ LEVEE PLOW, INSIDE FRONT GANG WTF, WTJ, F9, F10, F11, F12, F25, J25



NOTE:

#2386-A CAN BE CONVERTED TO #9578 BY
DRILLING 2-1/16 DIA. HOLE.

AMCO PRODUCTS

Yazoo City, Mississippi

1-1/8" SQUARE AXLES SUBSTITUTION CHART

No. Blades and Spacing	HEADED AXLES		REPLACEMENT AXLES	
	Part No.	Under Head Length	Part No.	Length
5 Blade, 7" Spacing	5192	32-3/4	100246	33-3/4 ✓
6 Blade, 7" Spacing	5193	40	100247	41 ✓
7 Blade, 7" Spacing	5194	47-1/2	100248	48-1/2
8 Blade, 7" Spacing	5195	54-3/4	100249	55-3/4
9 Blade, 7" Spacing	5196	61-3/4	100250	62-3/4
10 Blade, 7" Spacing	5197	69	100251	70
11 Blade, 7" Spacing	5186	76-3/8	100252	77-3/8
4 Blade, 9" Spacing	2033	31-1/4	100240	32-1/4 ✓
5 Blade, 9" Spacing	2118	40-1/2	100241	41-1/2
6 Blade, 9" Spacing	2360	49-7/8	100242	50-7/8
7 Blade, 9" Spacing	5084	58-7/8	100243	59-7/8
8 Blade, 9" Spacing	5085	68-1/16	100244	69-1/16
9 Blade, 9" Spacing	5086	77-1/4	100245	78-1/4
Water Furrow Plow Axle	6674	7-7/8	20036	9" O.A.L. (W/Welded Bumper Washer)
Rollin Buster Axle	3467	11-3/4	0705	13-1/4" O.A.L. (W/Welded Bumper Washer)

1-3/8" ROUND AXLES

No. Blades and Spacing	HEADED AXLES		REPLACEMENT AXLES	
	Part No.	Under Head Length	Part No.	Length
Levee Plow Axle 4 Blade	2367	32		Same

AMCO PRODUCTS**Yazoo City, Mississippi****DISC BLADES**
Blades for 1-1/8" Square Axles

9464	Feathering Blade	1-1/8" Sq. Axle
3267	16" Plain. 10-Ga.	1-1/8" Sq.
3268	18" Plain 9-Ga.	1-1/8" Sq.
2450	20" Plain 9-Ga.	1-1/8" Sq.
3254	20" C.O. 7-Ga.	1-1/8" Sq.
3262	20" Plain 7-Ga.	1-1/8" Sq.
11569	20" Plain 1/4" Thk.	1-1/8" Sq.
11570	20" C.O. 1/4" Thk.	1-1/8" Sq.
3269	22" Plain 7-Ga.	1-1/8" Sq.
3271	22" C.O. 7-Ga.	1-1/8" Sq.

DISC BLADES
Blades for 1-1/2" Square Axle

3278	10" Plain 10-Ga.	1-1/2" Sq.	Back-Up-Blade
3266	14" Plain 11-Ga.	1-1/2" Sq.	Back-Up-Blade Use # 3278
3055	16" Plain 11-Ga.	1-1/2" Sq.	
9482	18" Plain 8-Ga.	1-1/2" Sq.	
9488	18" C.O. 8-Ga.	1-1/2" Sq.	
9481	20" Plain 3/16" Thk.	1-1/2" Sq.	
9487	20" C.O. 3/16" Thk.	1-1/2" Sq.	
3275	22" C.O. 1/4" Thk.	1-1/2" Sq.	
3276	22" Plain 1/4" Thk.	1-1/2" Sq.	
9480	22" Plain 3/16" Thk.	1-1/2" Sq.	
9484	22" C.O. 3/16" Thk.	1-1/2" Sq.	
11571	24" C.O. 1/4" Thk.	1-1/2" Sq.	Low Concavity 2-5/8"

Rollin Buster

Rollin Buster

11573

2455

3250

11574

11572

3253

3255

2456

3263

11576

3044

2369

6847

7365

3277

11561

11562

11565

11566

Blades for 1-1/2" Square Axle
(Continued)

24" C.O. 3/16" Thk.	1-1/2" Sq.	Low Concavity 2-5/8"
24" C.O. 3/16 Thk.	1-1/2" Sq.	
24" C.O. 1/4" Thk.	1-1/2" Sq.	
24" Plain 3/16" Thk.	1-1/2" Sq.	Low Concavity 2-5/8"
24" Plain 1/4" Thk.	1-1/2" Sq.	Low Concavity 2-5/8"
24" Plain 3/16" Thk.	1-1/2" Sq.	
24" Plain 1/4" Thk.	1-1/2" Sq.	
26" C.O. 1/4" Thk.	1-1/2" Sq.	
26" Plain 1/4" Thk.	1-1/2" Sq.	
26" Plain 5/16" Thk.	1-1/2" Sq.	

DISC BLADES
Blades for 1-3/8" Round Axle


22" C.O. 7-Ga.	1-3/8" Rd.	Levee Plow, WOE OFFSET
24" C.O. 3/16" Thk.	1-3/8" Rd.	Levee Plow, WOE OFFSET

DISC BLADES
Blades for 2-1/4" Round Axles


14" Plain 3/16" Thk.	2-1/4" Rd.	Back-Up-Blade
30" C.O. 3/8" Thk.	2-1/4" Rd.	4-3/4 Concavity G2
30" C.O. 5/16" Thk.	2-1/4" Rd.	4-3/4" Concavity G2
32" C.O. 5/16" Thk.	2-1/4" Rd.	4-3/4" Concavity G2
32" C.O. 3/8" Thk.	2-1/4" Rd.	4-3/4" Concavity G2
32" Plain 5/16" Thk.	2-1/4" Rd.	4-3/4 Concavity G2
32" Plain 3/8" Thk.	2-1/4" Rd.	4-3/4 Concavity G2

REPLACEMENT PARTS FOR ALL AMCO HARROWS
EQUIPPED WITH 1-1/8" SQUARE AXLES

GROUP I — HARROWS SHIPPED AFTER JANUARY 1, 1978



GROUP II — HARROWS SHIPPED BEFORE JANUARY 1, 1978



NOTE: 3412 REPLACED BY
3412A JANUARY 1, 1976

AMCO PRODUCTS

Yazoo City, Mississippi


1-1/2" SQUARE AXLE SUBSTITUTION CHART

HEADED Axle 3-1/4" Dia. Head			HEADED Axle 2-7/8" Dia. Head		REPLACEMENT Double Threaded Axle		
Axle & Spacing	Part No.	Length	Part No.	Length	Part No.	Length	Weight
4 Blade, 9"	3821	32-1/2	3821A	32-3/4	9440	33-5/8	22 #
5 Blade, 9"	3823	41-3/4	3823A	41-3/4	9441	42-7/8	28 #
6 Blade, 9"	5644	51-1/8	5644A	51-1/8	9442	52-1/8	34 #
7 Blade, 9"	5623	60-5/16	5623A	60-5/16	9443	61-3/8	40 #
8 Blade, 9"	5624	69-1/2	5624A	69-1/2	9444	70-5/8	45 #
9 Blade, 9"	6679	78-11/16	6679A	78-11/16	9445	79-1/8	51 #
10 Blade, 9"					9446	89-1/8	57 #
11 Blade, 9"					9447	98-3/8	63 #
12 Blade, 9"					9448	107-5/8	69 #
4 Blade, 10-1/2"	3822	37-1/8	3822A	37-1/8	9449	38-3/4	25 #
5 Blade, 10-1/2"	3824	47-7/8	3824A	47-7/8	9450	49-1/2	32 #
6 Blade, 10-1/2"	5645	58-5/8	5645A	58-5/8	9451	60-1/4	39 #
7 Blade, 10-1/2"	5624	69-1/2	5624A	69-1/2	9444	70-5/8	45 #
8 Blade, 10-1/2"	6675	80-1/8	6675A	80-1/8	9453	81-3/4	57 #
9 Blade, 10-1/2"					9454	92-1/2	59 #
10 Blade, 10-1/2"					9455	103-1/4	66 #
11 Blade, 10-1/2"					9456	114	73 #
13 Blade, 9"					100447	116-7/8	74 #


6

REPLACEMENT PARTS FOR AMCO HARROWS EQUIPPED WITH # 2386 AND # 2386A CAST BUMPER WASHER

GROUP I — WOF, WOJ, REAR GANGS WTF, WTJ, OUTSIDE FRONT GANGS WTF, WTJ



GROUP II — LBE, LBI LEVEE PLOW, INSIDE FRONT GANG WTF, WTJ, F9, F10, F11, F12, F25, J25



NOTE:

#2386-A CAN BE CONVERTED TO #9578 BY
DRILLING 2-1/16 DIA. HOLE.