

pe Offset-WOJ10

WOJ 12

105 84

WHEN ORDERING PARTS,
PLEASE SPECIFY
TYPE, MODEL, SERIAL NO.

Ref. No.	Description	Model 2022	WOJ10 2024	Model 2222	WOJ10 2224	Model 2422	WOJ10 2424	Model 2622	WOJ10 2624	Model 3022	WOJ10 3024
		Part No.	No. Req.	Part No.	No. Req.	Part No.	No. Req.	Part No.	No. Req.	Part No.	No. Req.
22	Base Rockshaft Brg.	3426	2	3426	2	3426	2	3426	2	3426	2
23	Cap Rockshaft Brg.	3425	2	3425	2	3425	2	3425	2	3425	2
	Machine Bolt — 7/8" x 7" USS	10431	4	10431	4	10431	4	10431	4	10431	4
	Lock Washer — 7/8"	10035	4	10035	4	10035	4	10035	4	10035	4
	Nut — Hex — 7/8" USS	10148	4	10148	4	10148	4	10148	4	10148	4
	Wheel Support	1475	4	1475	4	1475	4	1475	4	1475	4
	Machine Bolt — 1" x 3" USS	11025	8	11025	8	11025	8	11025	8	11025	8
	Lock Washer — 1"	11027	8	11027	8	11027	8	11027	8	11027	8
	Nut — Hex — 1" USS	11026	8	11026	8	11026	8	11026	8	11026	8
24	Transport Bar	1443	1	1443	1	1443	1	1443	1	1443	1
	Rivet (Drilled) 3/4" x 2 1/2"	10019	1	10019	1	10019	1	10019	1	10019	1
	Rivet (Drilled) 3/4" x 3"	10052	1	10052	1	10052	1	10052	1	10052	1
	Cotter Pin — 1/4" x 1 1/2"	10075	2	10075	2	10075	2	10075	2	10075	2
25	Bearing Housing — Front Half	6405	8	6405	8	6405	8	6405	8	6405	12
26	Bearing Housing — Rear Half	6406	8	6406	8	6406	8	6406	8	6406	12
	Carriage Bolt — 3/4" x 3"	10579	16	10579	16	10579	16	10579	16	10579	24
	Lock Washer — 3/4"	10002	16	10002	16	10002	16	10002	16	10002	24
	Nut — Hex — 3/4" SAE	10585	16	10585	16	10585	16	10585	16	10585	24
27	Hub W/2 Cups & 5 Lug Bolts	10351	4	10351	4	10351	4	10351	4	10351	4
28	Cup Inner (Timken — LM 48510)	10352	4	10352	4	10352	4	10352	4	10352	4
29	Cone Inner (Timken — LM 48548)	10353	4	10353	4	10353	4	10353	4	10353	4
30	Grease Seal — AFS 2130	10582	4	10582	4	10582	4	10582	4	10582	4
31	Hub Bolt	10354	20	10354	20	10354	20	10354	20	10354	20
32	Nut — Hub (FS 8320)	11046	20	11046	20	11046	20	11046	20	11046	20
33	Cup — Outer (LM 67010)	10293	4	10293	4	10293	4	10293	4	10293	4
34	Cone — Outer (LM 67048)	10295	4	10295	4	10295	4	10295	4	10295	4
	Spindle Washer	10263	4	10263	4	10263	4	10263	4	10263	4
36	Spindle Nut — 7/8" SAE (Slotted)	10264	4	10264	4	10264	4	10264	4	10264	4
37	Cotter Pin — 3/16" x 1 1/2"	10027	4	10027	4	10027	4	10027	4	10027	4
38	Hub Cap	10356	4	10356	4	10356	4	10356	4	10356	4
39	Grease Fitting — Straight	10606	4	10606	4	10606	4	10606	4	10606	4
40	Gang Bolt	3824	4	3824	2	5645	4	5645	2	5624	2
	Gang Bolt			5645	2			5624	2	6615	2
41	Bumper Washer	2386	4	2386	4	2386	4	2386	4	2386	4
42	Blade — 24" Cut Out	3250	20	3250	22	3250	24	3250	26	3250	30
42A	Blade — 16" Back-Up	3055	20	3055	22	3055	24	3055	26	3055	30
43	End Bell — Small	6402	8	6402	8	6402	8	6402	8	6402	8
44	Housing Bearing	G6404	8	G6404	8	G6404	8	G6404	8	G6404	8
45	Bearing — Anti-Friction (GW214PP2)	G10218	8	G10218	8	G10218	8	G10218	8	G10218	8
46	Ring Retainer	11072	8	11072	8	11072	8	11072	8	11072	8
47	End Bell Large	6403	8	6403	8	6403	8	6403	8	6403	8
48	Spacer Spool (Fabricated)	1296	8	1296	10	1296	12	1296	14	1296	18
48A	End Gang Washer	1222	4	1222	4	1222	4	1222	4	1222	4
48B	Lock Plate — Nut	5622	4	5622	4	5622	4	5622	4	5622	4
49	Nut — Gang Bolt	10489	4	10489	4	10489	4	10489	4	10489	4
	Car. Bolt 7/16" x 1 1/2"	10068	8	10068	8	10068	8	10068	8	10068	8
	Lock Washer — 7/16"	10619	8	10619	8	10619	8	10619	8	10619	8
	Nut — Hex — 7/16"	10618	8	10618	8	10618	8	10618	8	10618	8
	— OPTIONAL PARTS —										
	Wheel — 15 x 5 — KDC — 5-Hole	10025	4	10025	4	10025	4	10025	4	10025	4
	Tire — 6:70 x 15 — 4-Ply — Imp.	11041	4	11041	4	11041	4	11041	4	11041	4
	Tube — 6:70 x 15	11040	4	11040	4	11040	4	11040	4	11040	4
	Wheel — Rim — Inner — 4:00 x 9	11009	4	11009	4	11009	4	11009	4	11009	4
	Wheel — Rim — Outer — 4:00 x 9	11010	4	11010	4	11010	4	11010	4	11010	4
	Tire — 6:00 x 9 — Pneumatic	11011	4	11011	4	11011	4	11011	4	11011	4
	Tire — 6:00 x 9 — Laminated	10302	4	10302	4	10302	4	10302	4	10302	4
	Tube — 6:00 x 9	11012	4	11012	4	11012	4	11012	4	11012	4



Manufacturers of the World's Best Tillage Tools

NO. 1 AMCO DRIVE

PHONE (601) 746-4464

YAZOO CITY, MISSISSIPPI 39194

TYPE — **WOJ10**
Rigid Frame
Wheel Type Offset

PARTS LIST Rigid Frame Wheel Ty

10 1/2 Springs

No.	Description	Model 2022	WOJ10 2024	Model 2222	WOJ10 2224	Model 2422	WOJ10 2424	Model 2622	WOJ10 2624	Model 3022	WOJ10 3024
		Part No.	No. Req.	Part No.	No. Req.	Part No.	No. Req.	Part No.	No. Req.	Part No.	No. Req.
1	Hitch Swivel	1459	1	1459	1	1459	1	1459	1	1459	1
2	Collar	6423	1	6423	1	6423	1	6423	1	6423	1
	Cap Screw — Hex Hd. — 3/4" x 4" USS	10104	1	10104	1	10104	1	10104	1	10104	1
	Lock Washer — 3/4"	10002	1	10002	1	10002	1	10002	1	10002	1
	Nut — Hex — 3/4" USS	10143	1	10143	1	10143	1	10143	1	10143	1
3	Pull Tongue	1476	1	1476	1	1476	1	1476	1	1476	1
4	Adj. Plate	6645	2	6645	2	6645	2	6645	2	6645	2
	Machine Bolt — Sq. Hd. — 3/4" x 5 1/2" USS	10323	2	10323	2	10323	2	10323	2	10323	2
	Lock Washer — 3/4"	10002	2	10002	2	10002	2	10002	2	10002	2
	Nut Hex — 3/4" USS	10143	2	10143	2	10143	2	10143	2	10143	2
	Machine Bolt — Hex Hd. — 1" x 6" USS	10181	4	10181	4	10181	4	10181	4	10181	4
	Lock Washer — 1"	11027	4	11027	4	11027	4	11027	4	11027	4
	Nut Hex — 1" USS	11026	4	11026	4	11026	4	11026	4	11026	4
5	Cross Tongue	1560	1	1553	1	1560	1	1553	1	1553	1
	Cap Screw — Hex Hd. — 1" x 4" USS	10094	2	10094	2	10094	2	10094	2	10094	2
	Lock Washer — 1"	11027	2	11027	2	11027	2	11027	2	10027	2
	Nut Hex — 1" USS	11026	2	11026	2	11026	2	11026	2	11026	2
6	Hose Holder	771	1	771	1	771	1	771	1	771	1
	Cotter Pin — 1/4" x 1 1/2"	10075	1	10075	1	10075	1	10075	1	10075	1
7	Stabilizer Rod	3008	1	3008	1	3008	1	3008	1	3008	1
	Cotter Pin — 1/4" x 1 1/2"	10075	1	10075	1	10075	1	10075	1	10075	1
	Machine Bolt — Hex Hd. — 5/8" x 3 3/4"	10241	1	10241	1	10241	1	10241	1	10241	1
	Lock Washer — 5/8"	10010	1	10010	1	10010	1	10010	1	10010	1
	Nut — Hex — 5/8" USS	11029	1	11029	1	11029	1	11029	1	11029	1
8	Stabilizer Spring—2"—I.D. x 3"—O.D.—6" Long	10308	1	10308	1	10308	1	10308	1	10308	1
	Spring Guide Sleeve	773	1	773	1	773	1	773	1	773	1
	Trunnion Stabilizer	774	1	774	1	774	1	774	1	774	1
	Machine Bolt — Hex Hd. — 5/8" x 1 1/2" (Plated)	10188	2	10188	2	10188	2	10188	2	10188	2
	Lock Washer — 5/8" (Plated)	11002	2	11002	2	11002	2	11002	2	11002	2
	Nut Hex — 5/8" USS (Plated)	10139	2	10139	2	10139	2	10139	2	10139	2
	Stop Stabilizer	775	1	775	1	775	1	775	1	775	1
11	Nut Adj. Stabilizer	776	1	776	1	776	1	776	1	776	1
12	Stabilizer Control	873	1	873	1	873	1	873	1	873	1
	Stabilizer Control Pin	874	1	874	1	874	1	874	1	874	1
	Cotter Pin — 1/4" x 2"	10087	1	10087	1	10087	1	10087	1	10087	1
13	Turn Buckle Stud — RH	875	1	875	1	875	1	875	1	875	1
14	Turn Buckle Stud — LH	876	1	876	1	876	1	876	1	876	1
	Turn Buckle Housing	877	1	877	1	877	1	877	1	877	1
	Turn Buckle Pin	878	2	878	2	878	2	878	2	878	2
	Cotter Pin — 1/4" x 2"	10087	4	10087	4	19987	4	10087	4	10087	4
15	Main Frame	944	1	944	1	1240	1	1240	1	1472	1
16	Leveling Arm	872	1	872	1	872	1	872	1	872	1
	Rivet — 1" x 3"	10099	1	10099	1	10099	1	10099	1	10099	1
	Cotter Pin — 1/4" x 2"	10087	2	10087	2	10087	2	10087	2	10087	2
17	Front Gang Frame	880	1	879	1	1556	1	1554	1	1558	1
	Scraper Standard — RH	945	8	945	9	945	10	945	11	945	13
	Scraper End Special — RH	946	1	946	1	946	1	946	1	946	1
18	Rear Gang Frame	867	1	864	1	1557	1	1555	1	1559	1
	Scraper Standard — LH	947	8	947	9	947	10	947	11	947	13
	Scraper End Special — LH	948	1	948	1	948	1	948	1	948	1
	Carriage Bolt W/Nut — 7/16" x 1 1/2" USS	10068	36	10068	40	10068	44	10068	48	10068	56
	Lock Washer — 7/16"	10619	36	10619	40	10619	44	10619	48	10619	56
19	Gang Pivot Bolt	11021	2	11021	2	11021	2	11021	2	11021	2
	Cut Washer — 1 1/4"	10077	4	10077	4	10077	4	10077	4	10077	4
	Nut — Hex (Slotted) 1 1/4"	10076	2	10076	2	10076	2	10076	2	10076	2
	Cotter Pin — 1/4" x 3"	10617	2	10617	2	10617	2	10617	2	10617	2
	"J" Bolt	2542	4	2542	4	2542	8	2542	8	2542	8
	Carriage Bolt — 1" x 2 1/2" USS	10318	4	10318	4	10318	8	10318	8	10318	8
	Lock Washer — 1"	11027	8	11027	8	11027	16	11027	16	11027	16
	Nut — Hex — 1" USS	11026	8	11026	8	11026	16	11026	16	11026	16
21	Rockshaft	949	1	949	1	949	1	949	1	949	1


(Continued Next Page)

WOS 10
WOS 12

PARTS LIST




Rigid Frame



Wheel Type Offset-WOJ10

WOJ 12

WHEN ORDERING PARTS,
PLEASE SPECIFY
TYPE, MODEL, SERIAL NO.



10
100

10
100